

# Work Order ID 78358

**\*78358\***

Page 1

Thursday, January 05, 2012 3:24:02 PM

Item ID: D4027-043 Accept **\*N900040100\*** Setup Start **\*NS1\***  
 Revision ID: Stop **\*NS2\***  
 Item Name: Hose Clamp Assembly  
 Start Date: 1/6/2012 Start Qty: ~~4.00~~ **\*4\*** Cust Item ID:  
 Required Date: 1/27/2012 Req'd Qty: 4.00 **\*4\*** Customer:  
 Reference:

Approvals: Process Plan: mf Date: 12-01-06 Tooling: \_\_\_\_\_ Date: \_\_\_\_\_ Run Start **\*NR1\***  
 QC: \_\_\_\_\_ Date: \_\_\_\_\_ SPC (Y/N): \_\_\_\_\_ Date: \_\_\_\_\_ Stop **\*NR2\***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr
D4027	A

100 0.00

**\*100\***  
 Small Fab  
 Small Fab

OK Memo 0.00  
 Drill hole and assemble as per dwg notes  
 3M Countact adhesive batch: 12002/1300 Neoprene High Performance  
Resin - Black adhesive M 120159

11 FF 12-02-09

110 QC5- Inspect part completeness to step on W/O 0.00

**\*110\***  
 QC Memo 0.00  
 Quality Control

120 Identify as per dwg & Stock Location: 54/50 0.00

**\*120\***  
 Packaging Memo 0.00  
 Packaging

11X SP 12-02-09

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

**Work Order ID 78358****\*78358\***

Page 2

Thursday, January 05, 2012 3:24:02 PM

Item ID: D4027-043

Accept

**\*N900040100\***Setup Start **\*NS1\***

Revision ID:

Stop **\*NS2\***

Item Name: Hose Clamp Assembly

Start Date: 1/6/2012 Start Qty: 4.00 **\*4\***

Cust Item ID:

Required Date: 1/27/2012 Req'd Qty: 4.00 **\*4\***

Customer:

Reference:

Approvals: Process Plan: \_\_\_\_\_ Date: \_\_\_\_\_ Tooling: \_\_\_\_\_ Date: \_\_\_\_\_

Run Start **\*NR1\***

QC: \_\_\_\_\_ Date: \_\_\_\_\_ SPC (Y/N): \_\_\_\_\_ Date: \_\_\_\_\_

Stop **\*NR2\***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
130	QC21- Final Inspection - Work Order Release	0.00							
<b>*130*</b>									
QC	Memo	0.00							
Quality Control									

12/2/13

p1202-9  
(11)

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

# Picklist Print

Thursday, January 05, 2012 3:24:01 PM

Page 1

Work Order ID: 78358

Parent Item: D4027-043

Parent Item Name: Hose Clamp Assembly

Start Date: 1/6/2012

Required Date: 1/27/2012

Start Qty: 4.00

Required Qty: 4.00

Comments: IPP rev A 10.02.01 new issue Prelim EC verified by:JLM IPP Rev:B 10.05.17 as per ECN10-562 DD verf:EC IPP Rev:C 11.08.04 was MS21042L09 is 06 (nut) DD verf:EC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D4027-3 Hose Clamp		Manufactured	No			100	Each	1.0000	1	4		FF 12-02-08	
				<u>Location</u>		<u>Loc Qty</u>	<u>Loc Code</u>						
				ST450		1	B 78375						
				55196		1	B 55696						
X D4027-5 Rubber Cushion		Manufactured	No			100	Each	5.0000	1	4		FF 12-02-08	
				<u>Location</u>		<u>Loc Qty</u>	<u>Loc Code</u>						
				GA		5							
				67814		5							
AN743-13 BRACKET		Purchased	No			100	Each	0.0000	1	4		FF 12-02-08	
NAS1149DN632J Washer		Purchased	No			100	Each	621.0000	1	4			
				<u>Location</u>		<u>Loc Qty</u>	<u>Loc Code</u>						
				ST298		621							
				118428		621							
MS24693-S28 Screw		Purchased	No			100	Each	142.0000	1	4		FF 12-02-08	
				<u>Location</u>		<u>Loc Qty</u>	<u>Loc Code</u>						
				ST288		142							
				11334		92							
				4824		9							
				8170		41							

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

# Picklist Print

Thursday, January 05, 2012 3:24:01 PM

Page 2

Work Order ID: 78358

Parent Item: D4027-043

Parent Item Name: Hose Clamp Assembly

Start Date: 1/6/2012

Required Date: 1/27/2012

Start Qty: 4.00

Required Qty: 4.00

MS21042L06

Purchased

No

100

Each

126.0000

1

4

Nut

FF 12-02-08

Location

Loc Qty

Loc Code

ST300

126

118354

2

119109

100

119758

24

11

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_



Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



ITEM NO.	QTY. -041	PART NUMBER	DESCRIPTION	JOHN CAMERON AVIATION PART NUMBER
1	X	D4027-041	VENT CLAMP ASSEMBLY	JCA-M47-2-20
2	1	D4027-1	HOSE CLAMP	
3	1	D4027-5	RUBBER CUSHION	
4	1	D4027-9	BRACKET, SUPPORT ANGLE	
5	1	MS24693S28	SCREW	
6	1	NAS1149DN632J	WASHER	
7	1	MS21042L09	NUT	



**D4027-041 VENT CLAMP ASSEMBLY**

**NOTES:**

- 1) MATERIAL: N/A
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D4027-041" AND B/N USING FINE POINT PERMANENT INK MARKER
- 7) WEIGHT: 0.06 lbs
- 8) ATTACH D4027-9 BRACKET USING MS24693S28 SCREW, MS21042L06 NUT AND NAS1149DN632F WASHER
- 9) GLUE D4027-5 RUBBER CUSHION TO D4027-1 CLAMP USING 3M CONTACT CEMENT IN POSITION AS SHOWN

A	NEW ISSUE		10.04.16
REV.	DESCRIPTION	BY	DATE
DESIGN			
DRAWN			
CHECKED			
MFG. APPR.			
APPROVED			
DE APPR.			
DATE	10.04.16		

**DART AEROSPACE LTD**  
HAWKESBURY, ONTARIO, CANADA

DRAWING NO. **D4027** REV. A  
SHEET 1 OF 7

TITLE **CLAMP** SCALE NTS

COPYRIGHT © 2010 BY DART AEROSPACE LTD  
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS  
NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT  
WRITTEN PERMISSION FROM DART AEROSPACE LTD

**RELEASED**  
2010-05-05

#78358

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector



Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries

ITEM NO.	QTY. -043	PART NUMBER	DESCRIPTION	JOHN CAMERON AVIATION PART NUMBER
1	X	D4027-043	VENT CLAMP ASSEMBLY	JCA-M47-2-35
2	1	D4027-3	HOSE CLAMP	
3	1	D4027-7	RUBBER CUSHION	
4	1	D4027-9	BRACKET, SUPPORT CLAMP	
5	1	MS24693S28	SCREW	
6	1	NAS1149DN632J	WASHER	
7	1	MS21042L09	NUT	



**D4027-043 VENT CLAMP ASSEMBLY**

#78358

**RELEASED**  
2010-05-05  
N/A

**NOTES:**

- 1) MATERIAL: N/A
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D4027-043" AND B/N USING FINE POINT PERMANENT INK MARKER
- 7) WEIGHT: 0.06 lbs
- 8) ATTACH D4027-9 BRACKET USING MS24693S28 SCREW, MS21042L06 NUT AND NAS1149DN632F WASHER
- 9) GLUE D4027-7 RUBBER CUSHION TO D4027-3 CLAMP USING 3M CONTACT CEMENT IN POSITION AS SHOWN

DESIGN		<b>DART AEROSPACE LTD</b> HAWKESBURY, ONTARIO, CANADA DRAWING NO. <b>D4027</b> REV. A SHEET 2 OF 7 TITLE <b>CLAMP</b> SCALE NTS COPYRIGHT © 2010 BY DART AEROSPACE LTD <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD</small>
DRAWN		
CHECKED		
MFG. APPR.		
APPROVED		
DE APPR.		
DATE	10.04.16	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			



NOTE: Date & initial all entries

DART AEROSPACE  
PART NUMBER


D4027-1

JOHN CAMERON AVIATION  
PART NUMBER

REF JCA-M47-2-20



**D4027-1 HOSE CLAMP**



# 78358

RELEASED  
2010-05-15

**NOTES:**

- 1) MATERIAL: MADE FROM QS200M56S
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D4027-1" AND B/N USING FINE POINT PERMANENT INK MARKER
- 7) WEIGHT: 0.05 lbs
- 8) DRILL Ø0.140 HOLE AS SHOWN OPPOSITE WORM DRIVE SCREW, DIMPLE HOLE FROM INSIDE FOR MS24693S28 SCREW

DESIGN		<b>DART AEROSPACE LTD</b>	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. A
MFG. APPR.		D4027	SHEET 3 OF 7
APPROVED		TITLE	SCALE
DE APPR.		CLAMP	NTS
DATE	10.04.16	COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSES OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			



NOTE: Date & initial all entries

DART AEROSPACE  
PART NUMBER


D4027-3

JOHN CAMERON AVIATION  
PART NUMBER

REF JCA-M47-2-35



**D4027-3 HOSE CLAMP**



**NOTES:**

- 1) MATERIAL: MADE FROM QS200M36S
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: IDENTIFY WITH DART P/N "D4027-3" AND B/N USING FINE POINT PERMANENT INK MARKER
- 7) WEIGHT: 0.05 lbs
- 8) DRILL Ø 0.140 HOLE AS SHOWN OPPOSITE WORM DRIVE SCREW, DIMPLE HOLE FROM INSIDE FOR MS24693S28 SCREW

DESIGN		<b>DART AEROSPACE LTD</b>	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. A
MFG. APPR.		D4027	SHEET 4 OF 7
APPROVED		TITLE	SCALE
DE APPR.		CLAMP	NTS
DATE	10.04.16	<small>COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSES OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

**RELEASED**  
2010-05-05  
MS

#78358

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_




Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

**NOTE:** Date & initial all entries



DART AEROSPACE PART NUMBER	JOHN CAMERON AVIATION PART NUMBER
D4027-5	REF JCA-M47-2-20
D4027-7	REF JCA-M47-2-35



DART PART NUMBER	LENGTH "L"
D4027-5	5.30
D4027-7	8.25

# **D4027-X RUBBER CUSHION**

# 78358

**RELEASED**  
2010-05-05  
MJP

- NOTES:**
- 1) MATERIAL: BLACK SOLID RUBBER NEOPRENE SHEET, 0.063 THICK  
REF DART SPEC M-NEO-60-S.063
  - 2) FINISH: N/A
  - 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
  - 4) UNITS: INCHES UNLESS OTHERWISE NOTED
  - 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
  - 6) IDENTIFICATION: N/A
  - 7) WEIGHT: 0.01 lbs

DESIGN		<b>DART AEROSPACE LTD</b> HAWKESBURY, ONTARIO, CANADA DRAWING NO. <b>D4027</b> TITLE <b>CLAMP</b> DATE <b>10.04.16</b>	REV. A
DRAWN			SHEET 5 OF 7
CHECKED			SCALE
MFG. APPR.			NTS
APPROVED			
DE APPR.		COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector





Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

DART AEROSPACE PART NUMBER	JOHN CAMERON AVIATION PART NUMBER
D4027-9	REF JCA-M47-2-20/-35



**D4027-9 BRACKET, SUPPORT ANGLE**

**NOTES:**

- 1) MATERIAL: MADE FROM D4027-9F OR EQUIVALENT TO AN743-C13
- 2) FINISH: N/A
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: 0.005 TO 0.010 MAX
- 6) IDENTIFICATION: N/A
- 7) WEIGHT: 0.00 lbs

DESIGN		<b>DART AEROSPACE LTD</b>	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED		DRAWING NO.	REV. A
MFG. APPR.		<b>D4027</b>	SHEET 6 OF 7
APPROVED		TITLE	SCALE
DE APPR.		<b>CLAMP</b>	NTS
DATE	10.04.16	<small>COPYRIGHT © 2010 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSES OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

**RELEASED**  
2010-05-05

# 78358


W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries



W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries